



GRP78 BiP (9E4) Mouse mAb

db6047 Package : 50μL 100μL

Product Name: GRP78 BiP (9E4) Mouse mAb

Cat.No.: db6047

Synonyms: HSPA5; GRP78; 78 kDa glucose-regulated protein; GRP-78; Endoplasmic reticulum lumenal Ca(2+)-

binding protein grp78; Heat shock 70 kDa protein 5; Immunoglobulin heavy chain-binding protein; BiP

Application: WB, ICC/IF, IHC-Fr, IHC-P

Reactivity: Human, Rat Host species: Mouse

Background When Chinese hamster K12 cells are starved of glucose, the synthesis of several proteins, called

glucose-regulated proteins (GRPs), is markedly increased. Hendershot et al. (1994) (PubMed 8020977) pointed out that one of these, GRP78 (HSPA5), also referred to as 'immunoglobulin heavy chain-binding protein' (BiP), is a member of the heat-shock protein-70 (HSP70) family and is

involved in the folding and assembly of proteins in the endoplasmic reticulum (ER).

Immunogen Purified recombinant human BiP/GRP78 (C-terminus) protein fragments expressed in E.coli

Gene ID 3309

Swiss Prot P11021

Synonyms HSPA5; GRP78; 78 kDa glucose-regulated protein; GRP-78; Endoplasmic reticulum lumenal

Ca(2+)-binding protein grp78; Heat shock 70 kDa protein 5; Immunoglobulin heavy chain-binding

protein; BiP

Reactivity Human, Rat

Application WB, ICC/IF, IHC-Fr, IHC-P

Recommended dilution WB: 1:500-1:1000

IHC: 1:50-1:100 ICC/IF: 1:50-1:200

Calculated MW 72 kDa

Observed MW 78 kDa

Host species Mouse

Clonality Monoclonal

Clonality No. 9E4-2A7-H6

Isotype IgG1





Purity


Affinity Purification

Conjugation


Un-conjugated

Storage Stability


Store at -20 $^{\circ}$ C. Supplied in PBS, 50% Glycerol(pH 7.3), 0.02% sodium azide and 0.5% BSA . Stable for 12 months from date of receipt.



Western blot analysis of BiP/GRP78 (Cterminus) in Hela, C6, Lncap and MDA-MB-468 lysates using BiP/GRP78 (Cterminus) antibody.



Immunocytochemistry analysis of GRP78 BiP (9E4) in HeLa using BiP/GRP78 (Cterminus) antibody.



Immunohistochemistry analysis of paraffin-embedded Colorectal cancer using BiP/GRP78 (Cterminus) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.