



SIRT2 (1D4) Mouse mAb

db6071 Package : 50μL 100μL

Product Name: SIRT2 (1D4) Mouse mAb

Cat.No.: db6071

Synonyms: SIRT2; SIR2L; NAD-dependent protein deacetylase sirtuin-2; Regulatory protein SIR2 homolog

2; SIR2-like protein 2

Application: WB, ICC/IF

Reactivity: Human, Mouse, Rat

Host species: Mouse

Background Participate in a variety of cellular functions, including histone deacetylation, gene silencing,

chromosomal stability, and aging. SIRT2, a human homolog of the yeast SIR2, functions as transcriptional silencing mediator at mating-type loci, telomeres and ribosomal gene clusters. SIRT2 expression increases dramatically during mitosis and is multiply phosphorylated at the

G(2)/M transition of the cell cycle.

Immunogen Purified recombinant human SirT2 protein expressed in E.coli

Gene ID 22933

Swiss Prot Q8IXJ6

Synonyms SIRT2; SIR2L; SIR2L2; NAD-dependent protein deacetylase sirtuin-2; Regulatory protein SIR2

homolog 2; SIR2-like protein 2

Reactivity Human, Mouse, Rat

Application WB, ICC/IF

Recommended dilution WB: 1:500-1:1000

ICC/IF: 1:50-1:200

Calculated MW 43 kDa

Observed MW 43 kDa

Host species Mouse

Clonality Monoclonal

Clonality No. 1D4-H11-H11

Isotype lgG2b

Purity Affinity Purification






Conjugation


Un-conjugated

Storage Stability


Store at -20 $^{\circ}$ C. Supplied in PBS, 50% Glycerol(pH 7.3), 0.02% sodium azide and 0.5% BSA . Stable for 12 months from date of receipt.



Western blot analysis of SirT2 in PC-12, rat Brain and mouse Brain lysates using SirT2 antibody.



Immunofluorescence analysis of SIRT2 (1D4) in Hela using SirT2 antibody(green) and Histone H3.1 (Phospho-Ser10) (310045) antibody(red).



Western blot analysis of SIRT2 (1D4) in rat Cerebral Cortex and rat Brain lysates using SirT2 antibody.