







## STAT3 (DGR12197) Rabbit mAb

db12896 Package : 10μL 20μL 50μL 100μL

Product Name: STAT3 (DGR12197) Rabbit mAb

Cat.No.: db12896

Synonyms: APRF; HIES; ADMIO; ADMIO1

Application: WB, ICC/IF, FC, IP

Reactivity : Human

Host species : Rabbit

**Background** The protein encoded by this gene is a member of the STAT protein family. In response to cytokines

and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. This protein mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of this protein. PIAS3 protein is a specific inhibitor of this protein. Mutations in this gene are associated with infantile-onset multisystem autoimmune disease and hyper-immunoglobulin E syndrome. Alternative splicing results in multiple transcript variants

encoding distinct isoforms. [provided by RefSeq, Sep 2015]

**Immunogen** A synthetic peptide of human STAT3

Gene ID 6774

Swiss Prot P40763

Synonyms APRF; HIES; ADMIO; ADMIO1

**Reactivity** Human

**Application** WB, ICC/IF, FC, IP

Recommended dilution WB: 1:1000

ICC/IF: 1:50

FC: 1:20 IP: 1:20

Calculated MW 88 kDa

Observed MW 88 kDa



## For Research Use Only **Product Datasheet**

Host species Rabbit

**Clonality** Monoclonal

Clonality No. DGR12197

**Isotype** IgG


**Purity** Affinity Purification

**Conjugation** Un-conjugated


Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.






Western blot detection of STAT3 in Jurkat, C6, CHO-K1 cell lysates using STAT3 antibody(1:1000 diluted).



Western blot analysis of extracts from HeLa cells using db12896 at 1:1000.



Immunofluorescent analysis of HeLa cells using db12896 antibody (green), and DAPI (blue).