Recombinant DGRmAb®


S6K1 (DGR12760) Rabbit mAb

db13897 **Package : 10μL 20μL 50μL 100μL**


Product Name : S6K1 (DGR12760) Rabbit mAb
Cat.No.: db13897
Synonyms : S6K; PS6K; S6K1; STK14A; p70-S6K; p70 S6KA; p70-alpha; S6K-beta-1; p70(S6K)-alpha
Application : WB, IHC-P
Reactivity : Human,Mouse,Rat
Host species : Rabbit

Background	This gene encodes a member of the ribosomal S6 kinase family of serine/threonine kinases. The encoded protein responds to mTOR (mammalian target of rapamycin) signaling to promote protein synthesis, cell growth, and cell proliferation. Activity of this gene has been associated with human cancer. Alternatively spliced transcript variants have been observed. The use of alternative translation start sites results in isoforms with longer or shorter N-termini which may differ in their subcellular localizations. There are two pseudogenes for this gene on chromosome 17. [provided by RefSeq, Jan 2013]
Immunogen	A synthetic peptide of human S6K1
Gene ID	6198
Swiss Prot	P23443
Synonyms	S6K; PS6K; S6K1; STK14A; p70-S6K; p70 S6KA; p70-alpha; S6K-beta-1; p70(S6K)-alpha
Reactivity	Human,Mouse,Rat
Application	WB, IHC-P
Recommended dilution	WB: 1:1000-1:5000 IHC-P: 1:50
Calculated MW	59 kDa
Observed MW	70 kDa
Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR12760
Isotype	IgG


Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot analysis of extracts from MCF-7 cells using db13897 at 1:3000.



Western blot analysis of extracts from C6 cells using db13897 at 1:1000.



Western blot analysis of extracts from 293 cells using db13897 at 1:1000.