







HDAC2 (DGR14124) Rabbit mAb

db11911 Package : 10μL 20μL 50μL 100μL

Product Name: HDAC2 (DGR14124) Rabbit mAb

Cat.No.: db11911

Synonyms: HD2; RPD3; YAF1

Application: WB, IHC-P, ICC/IF, FC, IP

Reactivity: Human, Mouse, Rat

Host species: Rabbit

Background This gene product belongs to the histone deacetylase family. Histone deacetylases act via the

formation of large multiprotein complexes, and are responsible for the deacetylation of lysine residues at the N-terminal regions of core histones (H2A, H2B, H3 and H4). This protein forms transcriptional repressor complexes by associating with many different proteins, including YY1, a mammalian zinc-finger transcription factor. Thus, it plays an important role in transcriptional regulation, cell cycle progression and developmental events. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Apr 2010]

Immunogen Recombinant protein of human HDAC2

Gene ID 3066

Swiss Prot Q92769

Synonyms HD2; RPD3; YAF1

Reactivity Human, Mouse, Rat

Application WB, IHC-P, ICC/IF, FC, IP

Recommended dilution WB: 1:1000

IHC-P: 1:500-1:2000 ICC/IF: 1:500-1:1000 FC: 1:200-1:500

IP: 1:20-1:50

Calculated MW 55 kDa

Observed MW 60 kDa

Host species Rabbit

Clonality Monoclonal



For Research Use Only **Product Datasheet**

Clonality No. DGR14124

Isotype IgG

Purity Affinity Purification

Conjugation Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.

Western blot detection of HDAC2 in K562,C6,3T3 cell lysates using HDAC2 antibody(1:1000

diluted).

Western blot analysis of extracts from C2C12 cells and Rat muscle tissue using db11911 at

1:1000.

Immunohistochemical analysis of paraffin-embedded human colon cancer using db11911

antibody.

Immunofluorescent analysis of HeLa cells using db11911 antibody (green), and DAPI (blue).