



Recombinant

DGRmAb<sup>®</sup>

## Somatostatin Receptor 3 (DGR14968) Rabbit mAb

db14534 Package : 10μL 20μL 50μL 100μL

Product Name: Somatostatin Receptor 3 (DGR14968) Rabbit mAb

Cat.No.: db14534

Synonyms: SS3R; SS3-R; SS-3-R; SSR-28

Application: WB, FC
Reactivity: Human
Host species: Rabbit

**Background** This gene encodes a member of the somatostatin receptor protein family. Somatostatins are

peptide hormones that regulate diverse cellular functions such as neurotransmission, cell

proliferation, and endocrine signaling as well as inhibiting the release of many hormones and other secretory proteins. Somatostatin has two active forms of 14 and 28 amino acids. The biological

effects of somatostatins are mediated by a family of G-protein coupled somatostatin receptors that

heterodimers with other members of the superfamily as well as with other G-protein coupled receptors and receptor tyrosine kinases. This protein is functionally coupled to adenylyl cyclase.

are expressed in a tissue-specific manner. Somatostatin receptors form homodimers and

Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013]

**Immunogen** A synthetic peptide of human Somatostatin Receptor 3

**Gene ID** 6753

Swiss Prot P32745

**Synonyms** SS3R; SS3-R; SS-3-R; SSR-28

Reactivity Human

**Application** WB, FC

Recommended dilution WB: 1:2000-1:20000

FC: 1:100-1:1000

Calculated MW 46 kDa

**Observed MW** 46 kDa

Host species Rabbit

**Clonality** Monoclonal

Clonality No. DGR14968



## For Research Use Only **Product Datasheet**


**Isotype** IgG

**Purity** Affinity Purification

**Conjugation** Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot detection of Somatostatin Receptor 3/SSTR3 in Jurkat cell lysates using Somatostatin Receptor 3/SSTR3 antibody(1:500 diluted).