





DGRmAb[®]

Cadherin 10 (DGR32611) Rabbit mAb

db13195 Package : 10μL 20μL 50μL 100μL

Product Name: Cadherin 10 (DGR32611) Rabbit mAb

Cat.No.: db13195

Synonyms: T2-cadherin; CDH10

Application: WB, FC

Reactivity: Human, Mouse, Rat

Host species: Rabbit

Background

This gene encodes a type II classical cadherin of the cadherin superfamily. Alternative splicing of this gene results in multiple transcript variants. At least one of these variants encodes a preproprotein that is proteolytically processed to generate the mature cadherin protein. These integral membrane proteins mediate calcium-dependent cell-cell adhesion and are composed of a large N-terminal extracellular domain, a single membrane-spanning domain, and a small, highly conserved C-terminal cytoplasmic domain. The extracellular domain consists of 5 subdomains, each containing a cadherin motif, and appears to determine the specificity of the protein's homophilic cell adhesion activity. Type II (atypical) cadherins are defined based on their lack of a histidine-alanine-valine (HAV) cell adhesion recognition sequence specific to type I cadherins. This particular cadherin is predominantly expressed in brain and is putatively involved in synaptic adhesions, axon outgrowth and guidance. Mutations in this gene may be associated with lung squamous cell carcinoma and colorectal cancer in human patients. [provided by RefSeq, Nov

2015]

Immunogen A synthetic peptide of human cadherin 10

Gene ID 1008

Swiss Prot Q9Y6N8

Synonyms T2-cadherin; CDH10

Reactivity Human, Mouse, Rat

Application WB. FC

Recommended dilution WB: 1:1000-1:5000

FC: 1:10-1:100

Calculated MW 89 kDa

Observed MW 110 kDa



For Research Use Only **Product Datasheet**

Host species Rabbit

Clonality Monoclonal

Clonality No. DGR32611


Isotype IgG

Purity Affinity Purification

Conjugation Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot detection of cadherin 10 in U2OS,C6 using cadherin 10 antibody(1:1000 diluted)