



Recombinant

DGRmAb<sup>®</sup>

## Phospho-FAK (Tyr576) (DGR33313) Rabbit mAb

db13741 Package : 10μL 20μL 50μL 100μL

Product Name: Phospho-FAK (Tyr576) (DGR33313) Rabbit mAb

Cat.No.: db13741

Synonyms: FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK

Application: WB, FC

Reactivity: Human, Mouse, Rat

Host species: Rabbit

**Background** This gene encodes a cytoplasmic protein tyrosine kinase which is found concentrated in the focal

adhesions that form between cells growing in the presence of extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the extracellular matrix. Several transcript variants

encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2017]

**Immunogen** A synthetic phosphopeptide corresponding to residues surrounding Tyr576 of human FAK

Gene ID 5747

Swiss Prot Q05397

**Synonyms** FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK

**Reactivity** Human, Mouse, Rat

**Application** WB, FC

Recommended dilution WB: 1:1000-1:10000

FC: 1:50-1:500

Calculated MW 119 kDa

**Observed MW** 125 kDa

Host species Rabbit

**Clonality** Monoclonal

Clonality No. DGR33313

**Isotype** IgG



## For Research Use Only **Product Datasheet**

**Purity** 


Affinity Purification

Conjugation

Un-conjugated

**Storage Stability** 

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot detection of FAK (phospho-Tyr576) in A549,U251,C2C12 cell lysates using FAK (phospho-Tyr576) antibody(1:1000 diluted).