

Recombinant DGRmAb[®]

FAK (DGR15314) Rabbit mAb

db11806


Package : 10µL 20µL 50µL 100µL

Product Name : FAK (DGR15314) Rabbit mAb Cat.No.: db11806 Synonyms : FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK Application : WB, IHC-P Reactivity : Human,Mouse,Rat Host species : Rabbit

| Background | This gene encodes a cytoplasmic protein tyrosine kinase which is found concentrated in the focal adhesions that form between cells growing in the presence of extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the extracellular matrix. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2017] |
|----------------------|---|
| Immunogen | A synthetic peptide of human FAK |
| Gene ID | 5747 |
| Swiss Prot | Q05397 |
| Synonyms | FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK |
| Reactivity | Human,Mouse,Rat |
| Application | WB, IHC-P |
| Recommended dilution | WB: 1:1000 IHC-P: 1:100-1:200 |
| Calculated MW | 119 kDa |
| Observed MW | 125 kDa |
| Host species | Rabbit |
| Clonality | Monoclonal |
| Clonality No. | DGR15314 |
| lsotype | lgG |

dvagbvo 戴格生物

| Purity | Affinity Purification |
|--|---|
| Conjugation | Un-conjugated |
| Storage Stability | Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt. |
| 45 ⁶ c ⁶ 5 ⁴ 48 ⁶ 180- 130- 95- 72- 55- 43- 34- | Western blot detection of FAK in K562,C6,3T3,Hela cell lysates using FAK antibody(1:1000 diluted). |



26-

17-

Immunohistochemical analysis of paraffin-embedded human colon cancer tissue using db11806 antibody.