

Recombinant

DGRmAb®

## Phospho-NF-kB p65 (Ser536) (DGR19107) Rabbit mAb

db12441

Package : 10µL 20µL 50µL 100µL

**Product Name :** Phospho-NF-kB p65 (Ser536) (DGR19107) Rabbit mAb**Cat.No.:** db12441**Synonyms :** p65; NFKB3**Application :** WB, IP**Reactivity :** Human,Mouse,Rat**Host species :** Rabbit**Background**

NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2011]

**Immunogen**

A synthetic phosphopeptide corresponding to residues surrounding Ser536 of human NF-kB p65

**Gene ID**

5970, 19697, 309165

**Swiss Prot**

Q04206

**Synonyms**

p65; NFKB3

**Reactivity**

Human,Mouse,Rat

**Application**

WB, IP

**Recommended dilution**

WB: 1:1000  
IP: 1:20-1:50

**Calculated MW**

60 kDa

**Observed MW**

65 kDa

**Host species**

Rabbit

**Clonality**

Monoclonal

**Clonality No.**

DGR19107

**Isotype**

IgG

**Purity**


Affinity Purification

Conjugation

Un-conjugated

Storage Stability

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot analysis of extracts from HeLa cells using db12441 at 1:1000.