

Recombinant

DGRmAb®

Phospho-STAT3 (Tyr705) (DGR35328) Rabbit mAb

db11716

Package : 10µL 20µL 50µL 100µL

Product Name : Phospho-STAT3 (Tyr705) (DGR35328) Rabbit mAb**Cat.No.:** db11716**Synonyms** : APRF; HIES; ADMIO; ADMIO1**Application** : WB, IHC-P, ICC/IF, FC, IP**Reactivity** : Human**Host species** : Rabbit**Background**

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. This protein mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of this protein. PIAS3 protein is a specific inhibitor of this protein. Mutations in this gene are associated with infantile-onset multisystem autoimmune disease and hyper-immunoglobulin E syndrome. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Sep 2015]

Immunogen

A synthetic phosphopeptide corresponding to residues surrounding Tyr705 of human STAT3

Gene ID

6774

Swiss Prot

P40763

Synonyms

APRF; HIES; ADMIO; ADMIO1

Reactivity

Human

Application

WB, IHC-P, ICC/IF, FC, IP

Recommended dilutionWB: 1:1000
IHC-P: 1:200-1:500
ICC/IF: 1:200-1:500
FC: 1:200-1:500
IP: 1:20-1:50**Calculated MW**

88 kDa

Observed MW	88 kDa
Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR35328
Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.