



Recombinant

DGRmAb[®]

HIF-1-alpha (DGR11905) Rabbit mAb

db12445 Package : 10μL 20μL 50μL 100μL

Product Name: HIF-1-alpha (DGR11905) Rabbit mAb

Cat.No.: db12445

Synonyms: HIF1; MOP1; PASD8; HIF-1A; bHLHe78; HIF-1alpha; HIF1-ALPHA; HIF-1-alpha

Application : WB, ICC/IF, IP **Reactivity :** Human, Mouse, Rat

Host species: Rabbit

Background This gene encodes the alpha subunit of transcription factor hypoxia-inducible factor-1 (HIF-1),

which is a heterodimer composed of an alpha and a beta subunit. HIF-1 functions as a master regulator of cellular and systemic homeostatic response to hypoxia by activating transcription of many genes, including those involved in energy metabolism, angiogenesis, apoptosis, and other genes whose protein products increase oxygen delivery or facilitate metabolic adaptation to hypoxia. HIF-1 thus plays an essential role in embryonic vascularization, tumor angiogenesis and pathophysiology of ischemic disease. Alternatively spliced transcript variants encoding different

isoforms have been identified for this gene. [provided by RefSeq, Jul 2011]

Immunogen Recombinant protein of human HIF-1-alpha

Gene ID 3091

Swiss Prot Q16665

Synonyms HIF1; MOP1; PASD8; HIF-1A; bHLHe78; HIF-1alpha; HIF1-ALPHA; HIF-1-alpha

Reactivity Human, Mouse, Rat

Application WB, ICC/IF, IP

Recommended dilution WB: 1:1000

ICC/IF: 1:200-1:500

IP: 1:20-1:50

Calculated MW 92 kDa

Observed MW 120 kDa

Host species Rabbit

Clonality Monoclonal

Clonality No. DGR11905



For Research Use Only **Product Datasheet**

Isotype IgG

Purity Affinity Purification

Conjugation Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.