

DGRmAb[®]

Recombinant

Phospho-Alpha-synuclein (Tyr125) (DGR32509) Rabbit mAb

db12656

Package : 10µL 20µL 50µL 100µL

Product Name : Phospho-Alpha-synuclein (Tyr125) (DGR32509) Rabbit mAb Cat.No.: db12656 Synonyms : PD1; NACP; PARK1; PARK4 Application : WB Reactivity : Human

Host species : Rabbit

| Background | Alpha-synuclein is a member of the synuclein family, which also includes beta- and gamma- |
|----------------------|---|
| | synuclein. Synucleins are abundantly expressed in the brain and alpha- and beta-synuclein inhibit |
| | phospholipase D2 selectively. SNCA may serve to integrate presynaptic signaling and membrane |
| | trafficking. Defects in SNCA have been implicated in the pathogenesis of Parkinson disease. |
| | SNCA peptides are a major component of amyloid plaques in the brains of patients with |
| | Alzheimer's disease. Alternatively spliced transcripts encoding different isoforms have been |
| | identified for this gene. [provided by RefSeq, Feb 2016] |
| Immunogen | A synthetic phosphopeptide corresponding to residues surrounding Tyr125 of human Alpha- |
| | synuclein |
| Gene ID | 6622 |
| Swiss Prot | P37840 |
| Synonyms | PD1; NACP; PARK1; PARK4 |
| Reactivity | Human |
| Application | WB |
| Recommended dilution | WB: 1:1000-1:5000 |
| Calculated MW | 14 kDa |
| Observed MW | 16 kDa |
| Host species | Rabbit |
| Clonality | Monoclonal |
| Clonality No. | DGR32509 |
| lsotype | lgG |



| Purity | Affinity Purification |
|-------------------|---|
| Conjugation | Un-conjugated |
| Storage Stability | Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium |
| | azide and 0.05% BSA. Stable for 12 months from date of receipt. |