

Recombinant

PML Protein (DGR31475) Rabbit mAb

DGRmAb[®]

db13765

Package : 10µL 20µL 50µL 100µL

Product Name : PML Protein (DGR31475) Rabbit mAb Cat.No.: db13765 Synonyms : MYL; RNF71; PP8675; TRIM19 Application : WB, IHC-P, ICC/IF, IP Reactivity : Human Host species : Rabbit

Background	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif
	includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil
	region. This phosphoprotein localizes to nuclear bodies where it functions as a transcription factor
	and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to
	oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor
	alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of
	this gene results in several variations of the protein's central and C-terminal regions; all variants
	encode the same N-terminus. Alternatively spliced transcript variants encoding different isoforms
	have been identified. [provided by RefSeq, Jul 2008]
Immunogen	Recombinant protein of human PML Protein
Gene ID	5371
Swiss Prot	P29590
Synonyms	MYL; RNF71; PP8675; TRIM19
Reactivity	Human
Application	WB, IHC-P, ICC/IF, IP
Recommended dilution	WB: 1:1000
	IHC-P: 1:200-1:2000
	ICC/IF: 1:200-1:500
	IP: 1:50-1:100
Calculated MW	98 kDa
Observed MW	48-130 kDa
Host species	Rabbit

dvagbvo 戴格生物

Clonality	Monoclonal
Clonality No.	DGR31475
lsotype	lgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.
Hela KDa 190 - 140 - 95 -	Western blot analysis of extracts from HeLa cells using db13765 at 1:1000.

65 -54 -42 -32 -23 -