

Recombinant DGRmAb[®]

cIAP2 (DGR13172) Rabbit mAb

db15636

Package : 10µL 20µL 50µL 100µL

Product Name : cIAP2 (DGR13172) Rabbit mAb Cat.No.: db15636 Synonyms : AIP1; API2; MIHC; CIAP2; HAIP1; HIAP1; MALT2; RNF49; c-IAP2 Application : WB, IHC-P, FC, IP Reactivity : Human Host species : Rabbit

Background	This gene encodes a member of the IAP family of proteins that inhibit apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. The encoded protein inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. It contains 3 baculovirus IAP repeats and a ring finger domain. Transcript variants encoding the same isoform have been identified. [provided by RefSeq, Aug 2011]
Immunogen	A synthetic peptide of human cIAP2
Gene ID	330
Swiss Prot	Q13489
Synonyms	AIP1; API2; MIHC; CIAP2; HAIP1; HIAP1; MALT2; RNF49; c-IAP2
Reactivity	Human
Application	WB, IHC-P, FC, IP
Recommended dilution	WB: 1:2000-1:20000 IHC-P: 1:200-1:500 FC: 1:50-1:100 IP: 1:20-1:50
Calculated MW	68 kDa
Observed MW	72 kDa
Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR13172

dvagbvo 戴格生物

lsotype	lgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.
Raji kDa 130 - 100 - 70 - 55 - 40 - 35 - 25 -	Western blot analysis of extracts from Raji cells using db15636 at 1:1000.