

Citrulline-Histone H3 (Arg2/Arg8/Arg17) Rabbit pAb

db16639

Package : 10μL 20μL 50μL 100μL

Product Name : Citrulline-Histone H3 (Arg2/Arg8/Arg17) Rabbit pAb**Cat.No.:** db16639**Synonyms** : H3/A; H3FA**Application** : WB, ICC/IF, FC, IP**Reactivity** : Human, Mouse, Rat**Host species** : Rabbit**Background**

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

Immunogen

A synthetic citrullinepeptide corresponding to residues surroundingArg2/Arg8/Arg17 of human Histone H3

Gene ID

8350

Swiss Prot

P68431

Synonyms

H3/A; H3FA

Reactivity

Human, Mouse, Rat

Application

WB, ICC/IF, FC, IP

Recommended dilution

WB: 1:1000
ICC/IF: 1:500-1:2000
FC: 1:200-1:500
IP: 1:20-1:50

Calculated MW

15 kDa

Observed MW

17 kDa

Host species

Rabbit

Clonality

Polyclonal

Isotype

IgG

Purity

Affinity Purification

Conjugation

Un-conjugated

Storage Stability

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.