



Recombinant

DGRmAb[®]

PI3-Kinase p85 alpha (DGR12062) Rabbit mAb (PBS Only)

db13949-PBS Package: 100µg

Product Name: PI3-Kinase p85 alpha (DGR12062) Rabbit mAb (PBS Only)

Cat.No.: db13949-PBS

Synonyms: p85; AGM7; GRB1; IMD36; p85-ALPHA

Application: WB, ICC/IF, FC, IP Reactivity: Human, Mouse, Rat

Host species: Rabbit

Background Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime

> position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays

an important role in the metabolic actions of insulin, and a mutation in this gene has been

associated with insulin resistance. Alternative splicing of this gene results in four transcript variants

encoding different isoforms. [provided by RefSeq, Jun 2011]

Immunogen A synthetic peptide of human PI3 Kinase p85 alpha

Gene ID 5295

Swiss Prot P27986

Synonyms p85; AGM7; GRB1; IMD36; p85-ALPHA

Reactivity Human, Mouse, Rat

Application WB, ICC/IF, FC, IP

Recommended dilution WB: 1:1000

ICC/IF: 1:100-1:200

FC: 1:100

IP: 1:50

Calculated MW 84 kDa

Observed MW 85 kDa

Host species Rabbit

Clonality Monoclonal

Clonality No. DGR12062





Isotype lgG

Purity Affinity Purification


Conjugation Un-conjugated

Concentration 1 mg/ml

Formulation PBS Only


Storage Stability Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA

and Azide Free. Stable for 12 months from date of receipt.



Western blot analysis of extracts from Jurkat, C6, CHO-K1 cells and Rat brain tissue using db13949 at 1:1000.







Western blot analysis of extracts from Mouse muscle tissue using db13949 at 1:1000.







Western blot analysis of extracts from MCF-7 cells using db13949 at 1:1000.



Immunofluorescent analysis of MCF-7 cells using db13949 antibody (green), and DAPI (blue).