



Recombinant

DGRmAb<sup>®</sup>

## Phospho-AKT1 (Ser473) (DGR14737) Rabbit mAb (PBS Only)

db11197-PBS Package : 100μg

Product Name: Phospho-AKT1 (Ser473) (DGR14737) Rabbit mAb (PBS Only)

Cat.No.: db11197-PBS

Synonyms: AKT; PKB; RAC; CWS6; PRKBA; PKB-ALPHA; RAC-ALPHA

Application: WB, IHC

Reactivity: Human, Mouse, Rat

Host species: Rabbit

**Background** The serine-threonine protein kinase encoded by the AKT1 gene is catalytically inactive in serum-

starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by plateletderived growth factor. The activation is rapid and specific, and it is abrogated by mutations in the

pleckstrin homology domain of AKT1. It was shown that the activation occurs through

phosphatidylinositol 3-kinase. In the developing nervous system AKT is a critical mediator of

growth factor-induced neuronal survival. Survival factors can suppress apoptosis in a transcription-independent manner by activating the serine/threonine kinase AKT1, which then phosphorylates

and inactivates components of the apoptotic machinery. Mutations in this gene have been

associated with the Proteus syndrome. Multiple alternatively spliced transcript variants have been

found for this gene. [provided by RefSeq, Jul 2011]

**Immunogen** A synthetic phosphopeptide corresponding to residues surrounding Ser473 of human AKT1

**Gene ID** 207, 11651, 24185

**Swiss Prot** P31749, P31750, P47196

Synonyms AKT; PKB; RAC; CWS6; PRKBA; PKB-ALPHA; RAC-ALPHA

**Reactivity** Human, Mouse, Rat

Application WB, IHC

Recommended dilution WB: 1:2000

IHC: 1:100

Calculated MW 56 kDa

Observed MW 56 kDa

Host species Rabbit

**Clonality** Monoclonal



## For Research Use Only **Product Datasheet**

Clonality No. DGR14737

**Isotype** IgG

**Purity** Affinity Purification

**Conjugation** Un-conjugated

Concentration 1 mg/ml

Formulation PBS Only

Storage Stability Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA

and Azide Free. Stable for 12 months from date of receipt.

**LNCaP** 

kDa LNC

180 -130 -

100 -

70 -55 - • •

40 -

35 -

25 -

15 -

10 -

Western blot analysis of extracts from LNCaP cells using db11197