

Recombinant

DGRmAb®

TAB1 (DGR11733) Rabbit mAb (PBS Only)

db15922-PBS

Package : 100µg

Product Name : TAB1 (DGR11733) Rabbit mAb (PBS Only)**Cat.No.:** db15922-PBS**Synonyms :** 3'-Tab1; MAP3K7IP1**Application :** WB, IHC-P, ICC/IF, FC**Reactivity :** Human,Mouse,Rat**Host species :** Rabbit**Background**

The protein encoded by this gene was identified as a regulator of the MAP kinase kinase kinase MAP3K7/TAK1, which is known to mediate various intracellular signaling pathways, such as those induced by TGF beta, interleukin 1, and WNT-1. This protein interacts and thus activates TAK1 kinase. It has been shown that the C-terminal portion of this protein is sufficient for binding and activation of TAK1, while a portion of the N-terminus acts as a dominant-negative inhibitor of TGF beta, suggesting that this protein may function as a mediator between TGF beta receptors and TAK1. This protein can also interact with and activate the mitogen-activated protein kinase 14 (MAPK14/p38alpha), and thus represents an alternative activation pathway, in addition to the MAPKK pathways, which contributes to the biological responses of MAPK14 to various stimuli. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Jul 2008]

Immunogen

A synthetic peptide of human TAB1

Gene ID

10454

Swiss Prot

Q15750

Synonyms

3'-Tab1; MAP3K7IP1

Reactivity

Human,Mouse,Rat

Application

WB, IHC-P, ICC/IF, FC


Recommended dilutionWB: 1:1000
IHC-P: 1:100-1:200
ICC/IF: 1:100-1:200
FC: 1:20**Calculated MW**

55 kDa

Observed MW

55 kDa

Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR11733
Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Concentration	1 mg/ml
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.



Western blot analysis of extracts from HeLa cells using [db15922](#)