



Recombinant

DGRmAb[®]

Caspase-8 (DGR12682) Rabbit mAb (PBS Only)

db15744-PBS Package : 100μg

Product Name: Caspase-8 (DGR12682) Rabbit mAb (PBS Only)

Cat.No.: db15744-PBS

Synonyms: CAP4; MACH; MCH5; FLICE; ALPS2B; Casp-8

Application: WB
Reactivity: Human
Host species: Rabbit

Background

This gene encodes a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes composed of a prodomain, a large protease subunit, and a small protease subunit. Activation of caspases requires proteolytic processing at conserved internal aspartic residues to generate a heterodimeric enzyme consisting of the large and small subunits. This protein is involved in the programmed cell death induced by Fas and various apoptotic stimuli. The N-terminal FADD-like death effector domain of this protein suggests that it may interact with Fas-interacting protein FADD. This protein was detected in the insoluble fraction of the affected brain region from Huntington disease patients but not in those from normal controls, which implicated the role in neurodegenerative diseases. Many alternatively spliced transcript variants encoding different isoforms have been described, although not all variants have had their full-length sequences determined. [provided by RefSeq, Jul 2008]

Immunogen A synthetic peptide of human Caspase-8

Gene ID 841

Swiss Prot Q14790

Synonyms CAP4; MACH; MCH5; FLICE; ALPS2B; Casp-8

Reactivity Human

Application WB

Recommended dilution WB: 1:1000

Calculated MW 55 kDa

Observed MW 55 kDa

Host species Rabbit



For Research Use Only **Product Datasheet**

Clonality Monoclonal

Clonality No. DGR12682

Isotype IgG

Purity Affinity Purification

Conjugation Un-conjugated

Concentration 1 mg/ml

Formulation PBS Only

Storage Stability Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA

and Azide Free. Stable for 12 months from date of receipt.

Western blot analysis of extracts from Jurkat cells using db15744

kDa 250 -

150 -

100 -

75 -

50 - ■} ←

37 -

25 -20 -

15 -

10 -