

Recombinant

DGRmAb®

ULK1 (DGR16797) Rabbit mAb (PBS Only)

db14796-PBS

Package : 100µg

Product Name : ULK1 (DGR16797) Rabbit mAb (PBS Only)**Cat.No.:** db14796-PBS**Synonyms** : ATG1; ATG1A; UNC51; hATG1; Unc51.1**Application** : WB**Reactivity** : Human**Host species** : Rabbit**Background**

Serine/threonine-protein kinase involved in autophagy in response to starvation. Acts upstream of phosphatidylinositol 3-kinase PIK3C3 to regulate the formation of autophagophores, the precursors of autophagosomes. Part of regulatory feedback loops in autophagy: acts both as a downstream effector and negative regulator of mammalian target of rapamycin complex 1 (mTORC1) via interaction with RPTOR. Activated via phosphorylation by AMPK and also acts as a regulator of AMPK by mediating phosphorylation of AMPK subunits PRKAA1, PRKAB2 and PRKAG1, leading to negatively regulate AMPK activity. May phosphorylate ATG13/KIAA0652 and RPTOR; however such data need additional evidences. Plays a role early in neuronal differentiation and is required for granule cell axon formation. May also phosphorylate SESN2 and SQSTM1 to regulate autophagy (PubMed:25040165).

Immunogen

A synthetic peptide of human ULK1

Gene ID

8408

Swiss Prot

O75385

Synonyms

ATG1; ATG1A; UNC51; hATG1; Unc51.1

Reactivity

Human

Application

WB

Recommended dilution

WB: 1:2000-1:20000

Calculated MW

113 kDa

Observed MW

130 kDa

Host species

Rabbit

Clonality

Monoclonal

Clonality No.

DGR16797

Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Concentration	1 mg/ml
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.