

Recombinant

DGRmAb®

ERK2 (DGR13303) Rabbit mAb (PBS Only)

db11918-PBS

Package : 10µg 100µg

Product Name : ERK2 (DGR13303) Rabbit mAb (PBS Only)**Cat.No.:** db11918-PBS**Synonyms** : ERK; p38; p40; p41; ERK2; ERT1; ERK-2; MAPK2; PRKM1; PRKM2; P42MAPK; p41mapk; p42-MAPK**Application** : WB, IHC, ICC/IF, FC**Reactivity** : Human, Mouse, Rat**Host species** : Rabbit**Background**

This gene encodes a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. The activation of this kinase requires its phosphorylation by upstream kinases. Upon activation, this kinase translocates to the nucleus of the stimulated cells, where it phosphorylates nuclear targets. One study also suggests that this protein acts as a transcriptional repressor independent of its kinase activity. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Two alternatively spliced transcript variants encoding the same protein, but differing in the UTRs, have been reported for this gene. [provided by RefSeq, Jan 2014]

Immunogen

A synthetic peptide of human ERK2

Gene ID

5594

Swiss Prot

P28482

Synonyms

ERK; p38; p40; p41; ERK2; ERT1; ERK-2; MAPK2; PRKM1; PRKM2; P42MAPK; p41mapk; p42-MAPK

Reactivity

Human, Mouse, Rat

Application

WB, IHC, ICC/IF, FC

Calculated MW

41 kDa

Observed MW

41 kDa


Host species

Rabbit


Clonality

Monoclonal


Clonality No.	DGR13303
Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.




Western blot detection of p42 MAPK (ERK2) in K562,Rat Brain,C6,3T3,Hela cell lysates using p42 MAPK (ERK2) antibody(1:1000 diluted).



Western blot analysis of extracts from Jurkat,HCT116 cells using db11918 at 1:1000.



Immunohistochemical analysis of paraffin-embedded human Cholangiocarcinoma using db11918 antibody.



Immunofluorescent analysis of K562 cells using db11918 antibody (green), and DAPI (blue).