





STAT5 (DGR11379) Rabbit mAb (PBS Only)

db11277-PBS Package : 100μg

Product Name: STAT5 (DGR11379) Rabbit mAb (PBS Only)

Cat.No.: db11277-PBS
Synonyms: STAT5

Application : WB, IHC-P, ICC/IF, FC **Reactivity :** Human,Mouse,Rat

Host species: Rabbit

Background The protein encoded by this gene is a member of the STAT family of transcription factors. In

response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein mediates the signal transduction triggered by various cell ligands, such as IL2, IL4, CSF1, and different growth hormones. It has been shown to be involved in diverse biological processes, such as TCR signaling, apoptosis, adult mammary gland development, and sexual dimorphism of liver gene expression. This gene was found to fuse to retinoic acid receptor-alpha (RARA) gene in a small subset of acute promyelocytic leukemias (APLL). The dysregulation of the signaling pathways mediated by this

protein may be the cause of the APLL. [provided by RefSeq, Jul 2008]

Immunogen Recombinant protein of human STAT5B

Gene ID 6777

Swiss Prot P51692

Synonyms STAT5

Reactivity Human, Mouse, Rat

Application WB, IHC-P, ICC/IF, FC

Recommended dilution WB: 1:1000-1:5000

IHC-P: 1:100

ICC/IF: 1:200-1:500

FC: 1:50-1:100

Calculated MW 90 kDa

Observed MW 90 kDa

Host species Rabbit





Clonality Monoclonal

Clonality No. DGR11379

Isotype IgG

Purity Affinity Purification


Conjugation Un-conjugated

Concentration 1 mg/ml

Formulation PBS Only

Storage Stability Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA

and Azide Free. Stable for 12 months from date of receipt.



Western blot detection of STAT5B in C6 cell lysates using db11277(1:1000 diluted).