

Recombinant

DGRmAb®

**TNFRSF10C (DGR36084) Rabbit mAb**

db16319

Package : 10µL 20µL 50µL 100µL

**Product Name :** TNFRSF10C (DGR36084) Rabbit mAb**Cat.No.:** db16319**Synonyms :** LIT; DCR1; TRID; CD263; TRAILR3; TRAIL-R3; DCR1-TNFR**Application :** WB, ICC/IF**Reactivity :** Human, Mouse, Rat**Host species :** Rabbit**Background**

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain and a transmembrane domain, but no cytoplasmic death domain. This receptor is not capable of inducing apoptosis, and is thought to function as an antagonistic receptor that protects cells from TRAIL-induced apoptosis. This gene was found to be a p53-regulated DNA damage-inducible gene. The expression of this gene was detected in many normal tissues but not in most cancer cell lines, which may explain the specific sensitivity of cancer cells to the apoptosis-inducing activity of TRAIL. [provided by RefSeq, Jul 2008]

**Immunogen**

A synthetic peptide of Human TNFRSF10C

**Gene ID**

8794

**Swiss Prot**

O14798

**Synonyms**

LIT; DCR1; TRID; CD263; TRAILR3; TRAIL-R3; DCR1-TNFR

**Reactivity**

Human, Mouse, Rat

**Application**

WB, ICC/IF

**Recommended dilution**

WB: 1:1000

ICC/IF: 1:100-1:200

**Calculated MW**

27 kDa

**Observed MW**

27, 75-80 kDa

**Host species**

Rabbit

**Clonality**

Monoclonal

**Clonality No.**

DGR36084

**Isotype**

IgG

<b>Purity</b>	Affinity Purification
<b>Conjugation</b>	Un-conjugated
<b>Storage Stability</b>	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.