

Recombinant

DGRmAb®

TdT (DGR12809) Rabbit mAb (PBS Only)

db13698-PBS

Package : 100µg

Product Name : TdT (DGR12809) Rabbit mAb (PBS Only)**Cat.No.:** db13698-PBS**Synonyms** : TDT**Application** : WB, ICC/IF, FC, IP**Reactivity** : Human,Mouse,Rat**Host species** : Rabbit**Background**

This gene is a member of the DNA polymerase type-X family and encodes a template-independent DNA polymerase that catalyzes the addition of deoxynucleotides to the 3'-hydroxyl terminus of oligonucleotide primers. In vivo, the encoded protein is expressed in a restricted population of normal and malignant pre-B and pre-T lymphocytes during early differentiation, where it generates antigen receptor diversity by synthesizing non-germ line elements (N-regions) at the junctions of rearranged Ig heavy chain and T cell receptor gene segments. Alternatively spliced transcript variants encoding different isoforms of this gene have been described. [provided by RefSeq, Jul 2008]

Immunogen

A synthetic peptide of human TdT

Gene ID

1791

Swiss Prot

P04053

Synonyms

TDT

Reactivity

Human,Mouse,Rat

Application

WB, ICC/IF, FC, IP

Calculated MW

59 kDa

Observed MW

59 kDa

Host species

Rabbit

Clonality

Monoclonal

Clonality No.

DGR12809


Isotype

IgG


Purity

Affinity Purification


Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.



Western blot analysis of extracts from 3T3 cells using [db13698](#) at 1:1000.



Western blot analysis of extracts from 3T3 cells using [db13698](#) at 1:1000.



Western blot analysis of extracts from MOLT-4 cells using [db13698](#) at 1:1000.