Recombinant DGRmAb®


beta Catenin (DGR12883) Rabbit mAb (PBS Only)

db13925-PBS **Package：可询价**


Product Name : beta Catenin (DGR12883) Rabbit mAb (PBS Only)
Cat.No.: db13925-PBS
Synonyms : EVR7; CTNNB; MRD19; armadillo
Application : WB, IHC-P, ICC/IF, IP
Reactivity : Human,Mouse,Rat
Host species : Rabbit

Background	The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell layers by regulating cell growth and adhesion between cells. The encoded protein also anchors the actin cytoskeleton and may be responsible for transmitting the contact inhibition signal that causes cells to stop dividing once the epithelial sheet is complete. Finally, this protein binds to the product of the APC gene, which is mutated in adenomatous polyposis of the colon. Mutations in this gene are a cause of colorectal cancer (CRC), pilomatrixoma (PTR), medulloblastoma (MDB), and ovarian cancer. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2016]
Immunogen	A synthetic peptide of human beta Catenin
Gene ID	1499
Swiss Prot	P35222
Synonyms	EVR7; CTNNB; MRD19; armadillo
Reactivity	Human,Mouse,Rat
Application	WB, IHC-P, ICC/IF, IP
Calculated MW	86 kDa
Observed MW	86 kDa
Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR12883
Isotype	IgG
Purity	Affinity Purification


Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.




Western blot analysis of extracts from C6, CHO-K1, HeLa cells using db13925 at 1:1000.



Immunohistochemical analysis of paraffin-embedded human Cholangiocarcinoma using db13925 antibody.



Western blot analysis of extracts from Mouse brain tissue using db13925 at 1:1000.



Immunofluorescence analysis of HeLa cells labelling beta Catenin with db13925.

The cells were fixed with cold 100% methanol (10min, 4℃) and blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween 20 for 1h. The cells were then incubate with db13925 (1:100) at room temprature for 1h, followed by a further incubation at room temperature for 45min with Goat Anti Rabbit IgG (H+L)-AF488 (db10005, shown in green). Nuclear DNA was labeled in blue with DAPI.

Control: Secondary antibody only.