Recombinant DGRmAb®

Cytokeratin 17 (DGR19639) Rabbit mAb (PBS Only)

db14474-PBS **Package : 10μg 100μg**

Product Name : Cytokeratin 17 (DGR19639) Rabbit mAb (PBS Only)
Cat.No.: db14474-PBS
Synonyms : PC; K17; PC2; 39.1; CK-17; PCHC1
Application : WB, IHC-P, ICC/IF, FC
Reactivity : Human,Mouse,Rat
Host species : Rabbit

Background	This gene encodes the type I intermediate filament chain keratin 17, expressed in nail bed, hair follicle, sebaceous glands, and other epidermal appendages. Mutations in this gene lead to Jackson-Lawler type pachyonychia congenita and steatocystoma multiplex. [provided by RefSeq, Aug 2008]
Immunogen	A synthetic peptide of human Cytokeratin 17
Gene ID	3872
Swiss Prot	Q04695
Synonyms	PC; K17; PC2; 39.1; CK-17; PCHC1
Reactivity	Human,Mouse,Rat
Application	WB, IHC-P, ICC/IF, FC
Calculated MW	48 kDa
Observed MW	48 kDa
Host species	Rabbit
Clonality	Monoclonal
Clonality No.	DGR19639
Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only

Storage Stability

Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.



Western blot analysis of extracts from SCC-9 cells using db14474 at 1:1000.



Immunofluorescence analysis of HeLa cells labelling Cytokeratin 17 with db14474.

The cells were fixed with 4% PFA (10min, RT) followed by treatment with 0.1% Triton X-100 (10min, RT), and blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween 20 for 1h. The cells were then incubate with db14474 (1:200) at room temprature for 1h, followed by a further incubation at room temperature for 45min with Goat Anti Rabbit IgG (H+L)-AF488 db10005, shown in green). Nuclear DNA was labeled in blue with DAPI.

Control: Secondary antibody only.