

MCM2 (2B5) Mouse mAb (PBS Only)

db6407-PBS

Package : 可询价

Product Name : MCM2 (2B5) Mouse mAb (PBS Only)**Cat.No.:** db6407-PBS**Synonyms** : MCM2; BM28; CCNL1; CDCL1; KIAA0030; DNA replication licensing factor MCM2; Minichromosome maintenance protein 2 homolog; Nuclear protein BM28**Application** : WB, IHC-Fr, IHC-P, ICC/IF, FC, IP**Reactivity** : Human, Mouse**Host species** : Mouse**Background**

The protein encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the pre-replication complex (pre_RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. This protein forms a complex with MCM4, 6, and 7, and has been shown to regulate the helicase activity of the complex. This protein is phosphorylated, and thus regulated by, protein kinases CDC2 and CDC7.

Immunogen

Purified recombinant fragment of human MCM2 expressed in E. Coli

Gene ID

4171

Swiss Prot

P49736

Synonyms

MCM2; BM28; CCNL1; CDCL1; KIAA0030; DNA replication licensing factor MCM2; Minichromosome maintenance protein 2 homolog; Nuclear protein BM28

Reactivity

Human, Mouse

Application

WB, IHC-Fr, IHC-P, ICC/IF, FC, IP

Calculated MW

102 kDa

Observed MW

125 kDa

Host species

Mouse

Clonality

Monoclonal

Clonality No.

2B5-H4-A9


Isotype

IgG1


Purity

Affinity Purification


Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.




Western blot analysis of MCM2 in Jurkat, K562, 3T3 and HeLa lysates using MCM2 antibody.




Immunoprecipitation analysis of MCM2 (2B5) in HeLa lysates using MCM2 antibody.




Immunofluorescence analysis of MCM2 (2B5) in HeLa cells using MCM2 antibody(green),and DAPI (blue).



Immunohistochemistry analysis of paraffin-embedded Human tonsil tissue using MCM2 (2B5) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded ovarian cancer tissues using MCM2 (2B5) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded colon cancer tissues using MCM2 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

