

PCNA (2E1) Mouse mAb (PBS Only)

db6199-PBS

Package : 可询价

Product Name : PCNA (2E1) Mouse mAb (PBS Only)

Cat.No.: db6199-PBS

Synonyms : Cyclin;DNA polymerase delta auxiliary protein;HGNC8729;MGC8367;Mutagen-sensitive 209 protein;OTTHUMP00000030189;OTTHUMP00000030190;PCNA;Pcna/cyclin;PCNA_HUMAN;PCNAR ;Polymerase delta accessory protein;Proliferating Cell Nuclear Antigen

Application : WB, IP, ICC/IF, IHC-Fr, IHC-P

Reactivity : Human, Mouse, Rat, Monkey, Hamster

Host species : Mouse

Background

Auxiliary protein of DNA polymerase delta and is involved in the control of eukaryotic DNA replication by increasing the polymerase's processibility during elongation of the leading strand.Induces a robust stimulatory effect on the 3'-5' exonuclease and 3'-phosphodiesterase,but not apurinic-aprimidinic (AP) endonuclease,APEX2 activities.Has to be loaded onto DNA in order to be able to stimulate APEX2.Plays a key role in DNA damage response (DDR) by being conveniently positioned at the replication fork to coordinate DNA replication with DNA repair and DNA damage tolerance pathways.Acts as a loading platform to recruit DDR proteins that allow completion of DNA replication after DNA damage and promote postreplication repair/Monoubiquitinated PCNA leads to recruitment of translesion (TLS) polymerases,while 'Lys-63'-linked polyubiquitination of PCNA is involved in error-free pathway and employs recombination mechanisms to synthesize across the lesion.

Immunogen

Purified recombinant human PCNA protein fragments expressed in E.coli

Gene ID

5111

Swiss Prot

P12004

Synonyms

Cyclin;DNA polymerase delta auxiliary protein;HGNC8729;MGC8367;Mutagen-sensitive 209 protein;OTTHUMP00000030189;OTTHUMP00000030190;PCNA;Pcna/cyclin;PCNA_HUMAN;PC delta accessory protein;Proliferating Cell Nuclear Antigen

Reactivity

Human, Mouse, Rat, Monkey, Hamster

Application

WB, IP, ICC/IF, IHC-Fr, IHC-P

Calculated MW

29 kDa


Observed MW

36 kDa


Host species

Mouse


Clonality	Monoclonal
Clonality No.	2E1-G10-H10
Isotype	IgG2b
Purity	Affinity Purification
Conjugation	Un-conjugated
Concentration	1 mg/mL
Formulation	PBS Only
Storage Stability	Store at -20°C. Recommended to aliquot into single-use vials. Supplied in 1X PBS (pH 7.4). BSA and Azide Free. Stable for 12 months from date of receipt.




Western blot analysis of PCNA in HeLa, 3T3, COS7, C6 and CHO-K1 lysates using PCNA antibody.



Immunocytochemistry analysis of PCNA in HeLa cells using PCNA antibody.



Immunoprecipitation analysis of PCNA (2E1) in HeLa lysates using PCNA antibody.



Immunohistochemistry analysis of paraffin-embedded Human colorectal carcinoma using PCNA antibody (2E1G10H10). High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.