

Ubiquitin Conjugation Factor E4 B Rabbit pAb

db23017

Package : 20µL 50µL 100µL

Product Name : Ubiquitin Conjugation Factor E4 B Rabbit pAb Cat.No.: db23017 Synonyms : E4; UFD2; HDNB1; UBOX3; UFD2A Application : WB, ICC/IF Reactivity : Human, Mouse, Rat Host species : Rabbit

WB: 1:1000 ICC/IF: 1:20	
WB, ICC/IF	
E4; UFD2; HDNB1; UBOX3; UFD2A Human, Mouse, Rat	
O95155	
10277	
A synthetic peptide of human UBE4B	
abnormal or short-lived proteins for degradation. Ubiquitination involves at least t enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or ubiquitin-protein ligases, or E3s. This gene encodes an additional conjugation fa involved in multiubiquitin chain assembly. This gene is also the strongest candida neuroblastoma tumor suppressor genes. Alternatively spliced transcript variants of incoferme have been found for this gene formulad by DefCare. Jul 20081	r E2s, and actor, E4, which is ate in the
The modification of proteins with ubiquitin is an important cellular mechanism for	targeting
	abnormal or short-lived proteins for degradation. Ubiquitination involves at least enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, o ubiquitin-protein ligases, or E3s. This gene encodes an additional conjugation fa involved in multiubiquitin chain assembly. This gene is also the strongest candida neuroblastoma tumor suppressor genes. Alternatively spliced transcript variants isoforms have been found for this gene. [provided by RefSeq, Jul 2008] A synthetic peptide of human UBE4B 10277 O95155 E4; UFD2; HDNB1; UBOX3; UFD2A Human, Mouse, Rat



Storage Stability

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.