

## Presenilin 1 Rabbit pAb

db1298

Package : 20µL 50µL 100µL

**Product Name** : Presenilin 1 Rabbit pAb**Cat.No.:** db1298**Synonyms** : AD3; FAD; PS1; PS-1; S182**Application** : WB, IHC, ICC/IF, FC, IP**Reactivity** : Human, Mouse, Rat**Host species** : Rabbit**Background**

Alzheimer's disease (AD) patients with an inherited form of the disease carry mutations in the presenilin proteins (PSEN1; PSEN2) or in the amyloid precursor protein (APP). These disease-linked mutations result in increased production of the longer form of amyloid-beta (main component of amyloid deposits found in AD brains). Presenilins are postulated to regulate APP processing through their effects on gamma-secretase, an enzyme that cleaves APP. Also, it is thought that the presenilins are involved in the cleavage of the Notch receptor, such that they either directly regulate gamma-secretase activity or themselves are protease enzymes. Several alternatively spliced transcript variants encoding different isoforms have been identified for this gene, the full-length nature of only some have been determined. [provided by RefSeq, Aug 2008]

**Immunogen**

A synthetic peptide of human Presenilin 1

**Gene ID**

5663

**Swiss Prot**

P49768

**Synonyms**

AD3; FAD; PS1; PS-1; S182

**Reactivity**

Human, Mouse, Rat

**Application**

WB, IHC, ICC/IF, FC, IP

**Recommended dilution**

WB: 1:1000-1:5000

IHC: 1:20

ICC/IF: 1:20-1:50

FC: 1:20

IP: 1:20

**Calculated MW**

53 kDa

**Observed MW**

20 kDa

**Host species**

Rabbit

Clonality	Polyclonal
Isotype	IgG
Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.