

FGR Rabbit pAb

db1832

Package : 20µL 50µL 100µL

Product Name : FGR Rabbit pAb**Cat.No.:** db1832**Synonyms** : SRC2; c-fgr; c-src2; p55-Fgr; p58-Fgr; p55c-fgr; p58c-fgr**Application** : WB, ICC/IF**Reactivity** : Human**Host species** : Rabbit**Background**

This gene is a member of the Src family of protein tyrosine kinases (PTKs). The encoded protein contains N-terminal sites for myristylation and palmitoylation, a PTK domain, and SH2 and SH3 domains which are involved in mediating protein-protein interactions with phosphotyrosine-containing and proline-rich motifs, respectively. The protein localizes to plasma membrane ruffles, and functions as a negative regulator of cell migration and adhesion triggered by the beta-2 integrin signal transduction pathway. Infection with Epstein-Barr virus results in the overexpression of this gene. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq, Jul 2008]

Immunogen

A synthetic peptide of human FGR

Gene ID

2268

Swiss Prot

P09769

Synonyms

SRC2; c-fgr; c-src2; p55-Fgr; p58-Fgr; p55c-fgr; p58c-fgr

Reactivity

Human

Application

WB, ICC/IF

Recommended dilutionWB: 1:1000-1:5000
ICC/IF: 1:20-1:50**Calculated MW**

60 kDa

Observed MW

60 kDa

Host species

Rabbit

Clonality

Polyclonal

Isotype

IgG

Purity

Affinity Purification

Conjugation

Un-conjugated

Storage Stability

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.