



## **ULK1 Rabbit pAb**

db2872 Package: 20μL 50μL 100μL

Product Name: ULK1 Rabbit pAb

Cat.No.: db2872

Synonyms: ATG1; ATG1A; UNC51; hATG1; Unc51.1

Application: WB, IHC, ICC/IF
Reactivity: Human, Mouse, Rat

Host species: Rabbit

Background Serine/threonine-protein kinase involved in autophagy in response to starvation. Acts upstream of

phosphatidylinositol 3-kinase PIK3C3 to regulate the formation of autophagophores, the precursors of autophagosomes. Part of regulatory feedback loops in autophagy: acts both as a downstream effector and negative regulator of mammalian target of rapamycin complex 1 (mTORC1) via interaction with RPTOR. Activated via phosphorylation by AMPK and also acts as a regulator of AMPK by mediating phosphorylation of AMPK subunits PRKAA1, PRKAB2 and PRKAG1, leading to negatively regulate AMPK activity. May phosphorylate ATG13/KIAA0652 and RPTOR; however such data need additional evidences. Plays a role early in neuronal differentiation and is required

for granule cell axon formation.

**Immunogen** A synthetic peptide of human ULK1

Gene ID 8408

Swiss Prot 075385

**Synonyms** ATG1; ATG1A; UNC51; hATG1; Unc51.1

Reactivity Human, Mouse, Rat

Application WB, IHC, ICC/IF

Recommended dilution WB: 1:2000

IHC: 1:50 ICC/IF: 1:20

ICC/IF: 1:20

Calculated MW 113 kDa

**Observed MW** 130 kDa

Host species Rabbit

**Clonality** Polyclonal

**Isotype** IgG



## For Research Use Only **Product Datasheet**

**Purity** Affinity Purification

**Conjugation** Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.