



## CD44 Rabbit pAb

db3173 Package: 20µL 50µL 100µL

Product Name: CD44 Rabbit pAb

Cat.No.: db3173

Synonyms: IN; LHR; MC56; MDU2; MDU3; MIC4; Pgp1; CDW44; CSPG8; HCELL; HUTCH-I; ECMR-III

Application: WB, IHC, FC

Reactivity : Human

Host species : Rabbit

Background The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell

adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature

of some of these variants has not been determined. Alternative splicing is the basis for the

structural and functional diversity of this protein, and may be related to tumor metastasis. [provided

by RefSeq, Jul 2008]

**Immunogen** A synthetic peptide of human CD44

Gene ID 960

Swiss Prot P16070

Synonyms IN; LHR; MC56; MDU2; MDU3; MIC4; Pgp1; CDW44; CSPG8; HCELL; HUTCH-I; ECMR-III

Reactivity Human

**Application** WB, IHC, FC

Recommended dilution WB: 1:1000

IHC: 1:20 FC: 1:20

Calculated MW 82 kDa

Observed MW 82 kDa

Host species Rabbit

**Clonality** Polyclonal

**Isotype** IgG



## For Research Use Only **Product Datasheet**

**Purity** Affinity Purification

**Conjugation** Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.