

## CD44 Rabbit pAb

db3173

Package : 20µL 50µL 100µL

**Product Name** : CD44 Rabbit pAb**Cat.No.:** db3173**Synonyms** : IN; LHR; MC56; MDU2; MDU3; MIC4; Pgp1; CDW44; CSPG8; HCELL; HUTCH-I; ECMR-III**Application** : WB, IHC, FC**Reactivity** : Human**Host species** : Rabbit**Background**

The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis. [provided by RefSeq, Jul 2008]

**Immunogen**

A synthetic peptide of human CD44

**Gene ID**

960

**Swiss Prot**

P16070

**Synonyms**

IN; LHR; MC56; MDU2; MDU3; MIC4; Pgp1; CDW44; CSPG8; HCELL; HUTCH-I; ECMR-III

**Reactivity**

Human

**Application**

WB, IHC, FC

**Recommended dilution**

WB: 1:1000

IHC: 1:20

FC: 1:20

**Calculated MW**

82 kDa

**Observed MW**

82 kDa

**Host species**

Rabbit

**Clonality**

Polyclonal

**Isotype**

IgG

---

<b>Purity</b>	Affinity Purification
<b>Conjugation</b>	Un-conjugated
<b>Storage Stability</b>	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.