

GSDMD Rabbit pAb

db3345

Package : 20μL 50μL 100μL

Product Name : GSDMD Rabbit pAb**Cat.No.:** db3345**Synonyms** : DF5L; M2-4; Dfna5l; Gsdmdc1; AW558049; 1810036L03Rik**Application** : WB, IP**Reactivity** : Mouse**Host species** : Rabbit**Background**

Gasdermin-D, N-terminal: Promotes pyroptosis in response to microbial infection and danger signals. Produced by the cleavage of gasdermin-D by inflammatory caspases CASP1 or CASP4 in response to canonical, as well as non-canonical (such as cytosolic LPS) inflammasome activators (PubMed:26611636, PubMed:26375259, PubMed:26375003, PubMed:27418190, PubMed:27385778, PubMed:27383986). After cleavage, moves to the plasma membrane where it strongly binds to membrane inner leaflet lipids, including monophosphorylated phosphatidylinositols, such as phosphatidylinositol 4-phosphate, bisphosphorylated phosphatidylinositols, such as phosphatidylinositol (4,5)-bisphosphate, as well as phosphatidylinositol (3,4,5)-trisphosphate, and more weakly to phosphatidic acid and phosphatidylserine.

Immunogen

A synthetic peptide of mouse GSDMD

Gene ID

69146

Swiss Prot

Q9D8T2

Synonyms

DF5L; M2-4; Dfna5l; Gsdmdc1; AW558049; 1810036L03Rik

Reactivity

Mouse

Application

WB, IP

Recommended dilution

WB: 1:1000

IP: 1:20

Calculated MW

53 kDa

Observed MW

53 kDa

Host species

Rabbit

Clonality

Polyclonal

Isotype

IgG

Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.