

IL-17F Rabbit pAb

db4608

Package : 20μL 50μL 100μL

Product Name : IL-17F Rabbit pAb**Cat.No.:** db4608**Synonyms** : C87042; IL-17F**Application** : WB, FC, IP**Reactivity** : Mouse**Host species** : Rabbit**Background**

Ligand for IL17RA and IL17RC (PubMed:17911633). The heterodimer formed by IL17A and IL17F is a ligand for the heterodimeric complex formed by IL17RA and IL17RC (By similarity). Involved in stimulating the production of other cytokines such as IL6, IL8 and CSF2, and in regulation of cartilage matrix turnover. Also involved in stimulating the proliferation of peripheral blood mononuclear cells and T-cells and in inhibition of angiogenesis (By similarity). Plays a role in the induction of neutrophilia in the lungs and in the exacerbation of antigen-induced pulmonary allergic inflammation (PubMed:15477493).

Immunogen

Recombinant protein of mouse IL17F

Gene ID

257630

Swiss Prot

Q7TNI7

Synonyms

C87042; IL-17F

Reactivity

Mouse

Application

WB, FC, IP

Recommended dilutionWB: 1:1000
FC: 1:20
IP: 1:20**Calculated MW**

18 kDa

Observed MW

18 kDa

Host species

Rabbit

Clonality

Polyclonal

Isotype

IgG

Purity

Affinity Purification

Conjugation

Un-conjugated

Storage Stability

Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.