

FGF2 Rabbit pAb

db7930

Package : 20µL 50µL 100µL

Product Name : FGF2 Rabbit pAb**Cat.No.:** db7930**Synonyms** : BFGF; FGFB; FGF-2; HBGF-2**Application** : WB, FC, IP**Reactivity** : Human**Host species** : Rabbit**Background**

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind heparin and possess broad mitogenic and angiogenic activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF. [provided by RefSeq, Jul 2008]

Immunogen

A synthetic peptide of human FGF2

Gene ID

2247

Swiss Prot

P09038

Synonyms

BFGF; FGFB; FGF-2; HBGF-2

Reactivity

Human

Application

WB, FC, IP

Recommended dilutionWB: 1:1000
FC: 1:20
IP: 1:20**Calculated MW**

31 kDa

Observed MW

19 kDa

Host species

Rabbit

Clonality

Polyclonal

Isotype

IgG

Purity	Affinity Purification
Conjugation	Un-conjugated
Storage Stability	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.