



## STAT1 (DGR19370) Rabbit mAb

db12458 Package : 10μL 20μL 50μL 100μL

Product Name: STAT1 (DGR19370) Rabbit mAb

Cat.No.: db12458

Synonyms: CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91

Application: WB, IHC-P, ICC/IF, FC, IP

Reactivity: Human

Host species: Rabbit

**Background** The protein encoded by this gene is a member of the STAT protein family. In response to cytokines

and growth factors, STAT family members are phosphorylated by the receptor associated kinases,

and then form homo- or heterodimers that translocate to the cell nucleus where they act as

transcription activators. This protein can be activated by various ligands including interferon-alpha, interferon-gamma, EGF, PDGF and IL6. This protein mediates the expression of a variety of

genes, which is thought to be important for cell viability in response to different cell stimuli and

pathogens. Two alternatively spliced transcript variants encoding distinct isoforms have been

described. [provided by RefSeq, Jul 2008]

**Immunogen** A synthetic peptide of human STAT1

Gene ID 6772

Swiss Prot P42224

Synonyms CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91

Reactivity Human

**Application** WB, IHC-P, ICC/IF, FC, IP

Recommended dilution WB: 1:2000-1:20000

IHC-P: 1:100-1:200 ICC/IF: 1:100-1:200

FC: 1:1000 IP: 1:10-1:100

Calculated MW 87 kDa

Observed MW 87 kDa

Host species Rabbit





**Clonality** Monoclonal

Clonality No. DGR19370


**Isotype** IgG

**Purity** Affinity Purification


**Conjugation** Un-conjugated

Storage Stability Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium

azide and 0.05% BSA. Stable for 12 months from date of receipt.



Western blot detection of STAT1 in MCF7, HepG2, U2OS, U251MG, K562 cell lysates using STAT1 antibody (1:500 diluted).



Immunofluorescent analysis of HeLa cells using db12458 antibody (green), and DAPI (blue).