

## MCM2 Rabbit pAb

db22737

Package : 20µL 50µL 100µL

**Product Name** : MCM2 Rabbit pAb**Cat.No.:** db22737**Synonyms** : BM28; CCNL1; CDCL1; cdc19; DFNA70; D3S3194; MITOTIN**Application** : WB, IHC, ICC/IF, FC, IP**Reactivity** : Human**Host species** : Rabbit**Background**

The protein encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the pre-replication complex (pre\_RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. This protein forms a complex with MCM4, 6, and 7, and has been shown to regulate the helicase activity of the complex. This protein is phosphorylated, and thus regulated by, protein kinases CDC2 and CDC7. Multiple alternatively spliced transcript variants have been found, but the full-length nature of some variants has not been defined. [provided by RefSeq, Oct 2012]

**Immunogen**

A synthetic peptide of human MCM2

**Gene ID**

4171

**Swiss Prot**

P49736

**Synonyms**

BM28; CCNL1; CDCL1; cdc19; DFNA70; D3S3194; MITOTIN

**Reactivity**

Human

**Application**

WB, IHC, ICC/IF, FC, IP

**Recommended dilution**

WB: 1:1000

IHC: 1:20

ICC/IF: 1:50

FC: 1:20

IP: 1:20

**Calculated MW**

102 kDa

**Observed MW**

125 kDa

**Host species**

Rabbit

<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Purity</b>	Affinity Purification
<b>Conjugation</b>	Un-conjugated
<b>Storage Stability</b>	Store at -20°C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.